

PUBLIC NOTICE
SC Department of Health and Environmental Control
Bureau of Water
2600 Bull Street
Columbia, South Carolina 29201

Public Notice No. 15-235-M

Date: December 02, 2015

NOTICE OF PROPOSED MODIFICATION OF A
NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM PERMIT

The South Carolina Department of Health and Environmental Control (DHEC) proposes to modify the National Pollutant Discharge Elimination System (NPDES) Permit #SC0048534, issued to INGERSOLL RAND/G.W. RECOVERY SYS, (LAURENS COUNTY/GREENWOOD EQC OFFICE) 800 E BEATY ST, DAVIDSON, NC 28036. The facility is located at 1775 Torrington Road, approximately 0.25 mile south of the intersection of Medical Ridge Road and Torrington Road, Clinton, South Carolina, Laurens County. The facility has 1 discharge point: 001-treated groundwater, discharging to: North Creek Pond to North Creek to Little River; The Standard Industrial Classification (SIC) Code for the facility is 9999. The receiving streams are classified Class FW: freshwaters suitable for primary and secondary contact recreation and as a source for drinking water supply after conventional treatment in accordance with the requirements of the Department. Suitable for fishing and the survival and propagation of a balanced indigenous aquatic community of fauna and flora. Suitable also for industrial and agricultural uses. A fact sheet is available.

The proposed modifications are as follows:

1. The Interim Limits in Part III.A.1.a have been deleted and the Final Limits in Part III.A.1.b have been re-numbered as III.A.1.a.
2. Part III.A.1.b Final Limits (now III.A.1.a) are becoming effective on the effective date of this modification rather than September 1, 2016.
3. The limits and monitoring requirements for Sulfide, Hydrogen Sulfide, and Temperature have been removed from Part III.A.1.b Final Limits (now III.A.1.a).
4. The compliance schedule in Part IV.A.1 has been removed.
5. Part V.A.2 regarding practical quantitation limits and analytical methods is no longer applicable and has been removed.
6. Part V.A.3 has been re-numbered as V.A.2 and the references to sulfide and hydrogen sulfide have been removed.

Persons wishing to comment on or object to the permit modifications are invited to submit same in writing within thirty (30) days of the date of this notice to the attention of: Randall Thompson; SC DHEC; Water Facilities Permitting Division; 2600 Bull Street, Columbia, South Carolina 29201; Telephone: 803-898-4314. The permit number should be placed at the top of the first page of comments. When there is a significant degree of public interest in a permit or group of permits, the Department may hold a public hearing. SC DHEC is not involved in zoning, land use, or property value issues. Please contact your local County or Municipal officials for questions or concerns on these issues.

All comments received within the 30-day period will be considered in the formulation of final determinations regarding the permit. All persons submitting written comments will be notified of the final determinations. Requests for adjudicatory hearings may be filed after the above described determinations have been made. Additional information regarding adjudicatory hearings is available from the Legal Office at the above Department address or by calling 803-898-3350.

Additional information on proposed permit determinations and on hearing procedures is available by writing or calling the Department at the above address or telephone number. Copies of a specific application or draft permit of interest to an individual, organization, or company must be requested in writing. A fee schedule has been established for processing these requests: Reproduction of documents - \$0.25 per page. Requests must be mailed to the Freedom of Information Office at 2600 Bull Street, Columbia, SC 29201, phone number: 803-898-3882; or requests may be faxed to the Freedom of Information Office at 803-898-3816. Arrangements can be made to review all the permit information at the Freedom of Information Office on the third floor of the Sims Building across from Peebles Auditorium.

Please bring the foregoing to the attention of persons you know will be interested in this matter.